

REFERENCES

- Al Naamani, Z., Gormley, K., Noble, H., Santin, O., & Al Maqbali, M. (2021). Fatigue, anxiety, depression and sleep quality in patients undergoing haemodialysis. *BMC Nephrology*, 22(1), 157. <https://doi.org/10.1186/s12882-021-02349-3>
- Almutary, H., Bonner, A., & Douglas, C. (2013). Symptom burden in chronic kidney disease: A review of recent literature. *Journal of Renal Care*, 39(3), 140–150. <https://doi.org/10.1111/j.1755-6686.2013.12022.x>
- Almutary, H., Bonner, A., & Douglas, C. (2016a). *Original Research Which Patients With Chronic Kidney Disease Have the Greatest Symptom Burden ? a Comparative Study of Advanced Ckd Stage and Dialysis Modality*. 73–82.
- Almutary, H., Bonner, A., & Douglas, C. (2016b). WHICH PATIENTS WITH CHRONIC KIDNEY DISEASE HAVE THE GREATEST SYMPTOM BURDEN? A COMPARATIVE STUDY OF ADVANCED CKD STAGE AND DIALYSIS MODALITY. *Journal of Renal Care*, 42(2), 73–82. <https://doi.org/10.1111/jorc.12152>
- Amro, A., Waldum, B., Dammen, T., Miaskowski, C., & Os, I. (2014). Symptom clusters in patients on dialysis and their association with quality-of-life outcomes. *Journal of Renal Care*, 40(1), 23–33. <https://doi.org/10.1111/jorc.12051>
- Arikunto, S. (2013). *Prosedur Penelitian Suatu Pendekatan*. Rineka Cipta.
- Azwar, Saifuddin. (2015). *Sikap Manusia: Teori dan Pengukurannya*. Yogyakarta: Pustaka Pelajar
- Bieber, S. D., & Himmelfarb, J. (2013). *Hemodialysis*. In *Schrier's disease of the kidney* (L. Williams & Wilkins (eds.); 9th ed.).
- Carey, R. N., Jani, C., Johnson, C., Pearce, J., Hui-Ng, P., & Lacson, E. (2016). Chemistry Testing on Plasma Versus Serum Samples in Dialysis Patients: Clinical and Quality Improvement Implications. *Clinical Journal of the American Society of Nephrology : CJASN*, 11(9), 1675–1679. <https://doi.org/10.2215/CJN.09310915>
- Chang, C. L. T., Lin, Y., Bartolome, A. P., Chen, Y.-C., Chiu, S.-C., & Yang, W.-C. (2013). Herbal therapies for type 2 diabetes mellitus: chemistry, biology, and potential application of selected plants and compounds. *Evidence-Based Complementary and Alternative Medicine : ECAM*, 2013, 378657.

<https://doi.org/10.1155/2013/378657>

- Chang, V. T., Hwang, S. S., Feuerman, M., Kasimis, B. S., & Thaler, H. T. (2000). The memorial symptom assessment scale short form (MSAS-SF). *Cancer*, 89(5), 1162–1171. [https://doi.org/10.1002/1097-0142\(20000901\)89:5<1162::aid-cncr26>3.0.co;2-y](https://doi.org/10.1002/1097-0142(20000901)89:5<1162::aid-cncr26>3.0.co;2-y)
- Davison, S. N., Jhangri, G. S., & Johnson, J. A. (2006). Cross-sectional validity of a modified Edmonton symptom assessment system in dialysis patients: a simple assessment of symptom burden. *Kidney International*, 69(9), 1621–1625. <https://doi.org/10.1038/sj.ki.5000184>
- De Pasquale, C., Pistorio, M. L., Corona, D., Mistretta, A., Zerbo, D., Sinagra, N., Giaquinta, A., Tallarita, T., Esker, B., Mociskyte, D., Leonardi, A., Gula, R., Veroux, P., & Veroux, M. (2012). Correlational study between psychic symptoms and quality of life among hemodialysis patients older than 55 years of age. *Transplantation Proceedings*, 44(7), 1876–1878. <https://doi.org/10.1016/j.transproceed.2012.06.015>
- Desbiens, N. A., Mueller-Rizner, N., Connors, A. F. J., Wenger, N. S., & Lynn, J. (1999). The symptom burden of seriously ill hospitalized patients. SUPPORT Investigators. Study to Understand Prognoses and Preferences for Outcome and Risks of Treatment. *Journal of Pain and Symptom Management*, 17(4), 248–255. [https://doi.org/10.1016/s0885-3924\(98\)00149-3](https://doi.org/10.1016/s0885-3924(98)00149-3)
- Dharma, K. K. (2017). *Metodologi penelitian keperawatan: Panduan melaksanakan dan menerapkan hasil penelitian*. Trans Info Media.
- Digiulio, M., Jackson, D., & Keogh, J. (2014). *Keperawatan Medikal Bedah: DeMYSTified* (1st ed.). Rapha Publishing.
- Foreman, K. J., Marquez, N., Dolgert, A., Fukutaki, K., Fullman, N., McGaughey, M., Pletcher, M. A., Smith, A. E., Tang, K., Yuan, C. W., Brown, J. C., Friedman, J., He, J., Heuton, K. R., Holmberg, M., Patel, D. J., Reidy, P., Carter, A., Cercy, K., ... Murray, C. J. L. (2018). Forecasting life expectancy, years of life lost, and all-cause and cause-specific mortality for 250 causes of death: reference and alternative scenarios for 2016–40 for 195 countries and territories. *The Lancet*, 392(10159), 2052–2090. [https://doi.org/10.1016/S0140-6736\(18\)31694-5](https://doi.org/10.1016/S0140-6736(18)31694-5)
- Gao, Y., & Zhou, Y. (2014). A survey of the status of symptom distress in maintenance

- hemodialysis patients. *Modern Preventive Medicine (Article in Chinese)*, 41(15), 2872–2874.
- Gapstur, R. (2007). Symptom Burden: A Concept Analysis and Implications for Oncology Nurses. *Oncology Nursing Forum*, 34, 673–680.
<https://doi.org/10.1188/07.ONF.673-680>
- Gunarathne, T. G. N. S., Tang, L. Y., Lim, S. K., Nanayakkara, N., Damayanthi, H. D. W. T., & Abdullah, K. L. (2022). Factors Associated with Symptom Burden in Adults with Chronic Kidney Disease Undergoing Hemodialysis: A Prospective Study. *International Journal of Environmental Research and Public Health*, 19(9).
<https://doi.org/10.3390/ijerph19095540>
- Hays, R. D., Kallich, J. D., Mapes, D. L., Coons, S. J., Amin, N., Carter, W. B., & Kamberg, C. (1997). Kidney disease quality of life short form (KDQOL-SF™), version 1.3: a manual for use and scoring. *Santa Monica, CA: Rand*, 7994.
- Hearn, J., & Higginson, I. J. (1999). Development and validation of a core outcome measure for palliative care: the palliative care outcome scale. Palliative Care Core Audit Project Advisory Group. *Quality in Health Care : QHC*, 8(4), 219–227.
<https://doi.org/10.1136/qshc.8.4.219>
- Hedayati, S. S., Minhajuddin, A. T., Toto, R. D., Morris, D. W., & Rush, A. J. (2009). Validation of depression screening scales in patients with CKD. *American Journal of Kidney Diseases : The Official Journal of the National Kidney Foundation*, 54(3), 433–439. <https://doi.org/10.1053/j.ajkd.2009.03.016>
- Hidayat, A. A. (2017). Metodologi penelitian keperawatan dan kesehatan. *Jakarta: Salemba Medika*, 88.
- Hill, N. R., Fatoba, S. T., Oke, J. L., Hirst, J. A., O’Callaghan, C. A., Lasserson, D. S., & Hobbs, F. D. R. (2016). Global Prevalence of Chronic Kidney Disease - A Systematic Review and Meta-Analysis. *PloS One*, 11(7), e0158765.
<https://doi.org/10.1371/journal.pone.0158765>
- Hurst M, H. (2016). *Belajar Mudah Keperawatan Medikal - Bedah, Vol. 1*. EGC.
- Insani, A. A., Ayu, putu R., & Anggraini, D. I. (2019). Hubungan Lama Menjalani Hemodialisis Dengan Status Nutrisi Pada Pasien Penyakit Ginjal Kronik (PGK) Di Instalasi Hemodialisa RSUD Dr. H. Abdul Moeloek Provinsi Lampung. *Jurnal Majority*, 8(1), 55–59.

- <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/2234>
- Johansson, P., Dahlström, U., & Broström, A. (2006). Factors and interventions influencing health-related quality of life in patients with heart failure: a review of the literature. *European Journal of Cardiovascular Nursing*, 5(1), 5–15.
<https://doi.org/10.1016/j.ejcnurse.2005.04.011>
- Joshi, V. D., Mooppil, N., & Lim, J. F. (2010). Validation of the kidney disease quality of life-short form: a cross-sectional study of a dialysis-targeted health measure in Singapore. *BMC Nephrology*, 11, 36. <https://doi.org/10.1186/1471-2369-11-36>
- Kamil, A. R., & Setiyono, E. (2018). *Symptoms Burden dan Kualitas Tidur Pada Pasien Hemodialysis*. 27–37.
<https://jurnal.umj.ac.id/index.php/ijnsp/article/view/2701/2317>
- Karasneh, R., Al-Azzam, S., Altawalbeh, S. M., Alshogran, O. Y., & Hawamdeh, S. (2020). Predictors of symptom burden among hemodialysis patients: a cross-sectional study at 13 hospitals. *International Urology and Nephrology*, 52(5), 959–967. <https://doi.org/10.1007/s11255-020-02458-2>
- Kemenkes RI. (2016). *Profil Kesehatan Indo-nesia*.
- Kementerian Kesehatan RI. (2019). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 26 Tahun 2019 tentang peraturan pelaksanaan Undang-Undang Nomor 38 Tahun 2014 tentang keperawatan*.
- Li, H., Xie, L., Yang, J., & Pang, X. (2018). Symptom burden amongst patients suffering from end-stage renal disease and receiving dialysis: A literature review. *International Journal of Nursing Sciences*, 5(4), 427–431.
<https://doi.org/10.1016/j.ijnss.2018.09.010>
- Moskovitch, J. T., Mount, P. F., & Davies, M. R. P. (2019). Changes in Symptom Burden in Dialysis Patients Assessed Using a Symptom-Reporting Questionnaire in Clinic. *Journal of Palliative Care*, 35(1), 59–65.
<https://doi.org/10.1177/0825859719827315>
- Murphy, E. L., Murtagh, F. E. M., Carey, I., & Sheerin, N. S. (2009). Understanding symptoms in patients with advanced chronic kidney disease managed without dialysis: use of a short patient-completed assessment tool. *Nephron. Clinical Practice*, 111(1), c74-80. <https://doi.org/10.1159/000183177>
- Muttaqin, A. (2014). *Buku Ajar Asuhan Keperawatan Gangguan Sistem Perkemihan*.

- Notoatmodjo, S. (2018). *Metodologi penelitian kesehatan*. Rineka Cipta.
- Nursalam. (2018). 75 Konsep dan penerapan metodologi.pdf. In *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan*.
- Nursalam. (2020). Populasi, Sampel, Sampling, dan Besar Sampel. In *Metodologi Penelitian Ilmu Keperawatan*.
- Nursalam, & Fransisca, B. B. (2011). *Asuhan Keperawatan pada Pasien dengan Gangguan Sistem Perkemihan*. Salemba Medika.
- Phillip, E. P. (2013). *Anatomi dan Fisiologi* (D. W. Theodorus, ed.). Pakar Raya.
- Polaski, A. L., & Tatro, S. E. (1996). *Luckmann's core principles and practice of medical-surgical nursing*. Saunders.
- Portenoy, R. K., Thaler, H. T., Kornblith, A. B., Lepore, J. M., Friedlander-Klar, H., Kiyasu, E., Sobel, K., Coyle, N., Kemeny, N., & Norton, L. (1994). The Memorial Symptom Assessment Scale: an instrument for the evaluation of symptom prevalence, characteristics and distress. *European Journal of Cancer (Oxford, England : 1990)*, 30A(9), 1326–1336. [https://doi.org/10.1016/0959-8049\(94\)90182-1](https://doi.org/10.1016/0959-8049(94)90182-1)
- Purnama, S. G. (2016). Modul Prinsip-Prinsip Etika Kesehatan. Denpasar Bali: Fakultas Kedokteran universitas Udayana.
- Rahman, M. T. S. A., Kaunang, T. M. D., & Elim, C. (2016). Hubungan antara lama menjalani hemodialisis dengan kualitas hidup pasien yang menjalani hemodialisis di Unit Hemodialisis RSUP. Prof. Dr. R. D. Kandou Manado. *E-CliniC*, 4(1). <https://doi.org/10.35790/ecl.4.1.2016.10829>
- Roach, S. (2010). *Introductory gerontological nursing*. Philadelphia: Introductory gerontological nursing
- Senanayake, S., Gunawardena, N., Palihawadana, P., Bandara, P., Haniffa, R., Karunarathna, R., & Kumara, P. (2017). Symptom burden in chronic kidney disease; A population based cross sectional study. *BMC Nephrology*, 18(1), 1–8. <https://doi.org/10.1186/s12882-017-0638-y>
- Silviani, D. (2011). *Hubungan Lama Periode Hemodialisis dengan status albumin penderita gagal ginjal kronis di unit hemodialisis RSUD Prof. Dr. Margono Soekarjo Purwokerto*. Mandala of Health.
- Smeltzer, & Bare. (2013). *Buku Ajar Keperawatan Medikal Bedah Brunner &*

Suddarth.

Smeltzer, S. C., & Bare, B. G. (2018). *Buku Ajar Asuhan Keperawatan Medikal Bedah*. EGC.

Song, Y. Y., Chen, L., Yu, W. W., Wang, W. X., Yang, D. J., & Jiang, X. L. (2021). Correlates of Symptom Burden of Hemodialysis Patients. *Western Journal of Nursing Research*, 43(5), 459–467. <https://doi.org/10.1177/0193945920957229>

Stephoe, A., Mohabir, A., Mahon, N. G., & McKenna, W. J. (2000). Health related quality of life and psychological wellbeing in patients with dilated cardiomyopathy. *Heart (British Cardiac Society)*, 83(6), 645–650. <https://doi.org/10.1136/heart.83.6.645>

Sudewo, B. (2013). *Buku Pintar Hidup Sehat Cara Mas Dewo*. Agromedia.

Sugiyono, D. (2019). *Statistika untuk Penelitian (Cetakan ke-30)*. Bandung: Cv Alfabeta.

Suwitra, K. (2014). Penyakit gagal ginjal kronik. *Buku Ajar Ilmu Penyakit Dalam. Edisi Ke-5*. Jakarta: Internal Publishing.

Suyanto, E. (2011). Membina, memelihara, dan menggunakan bahasa indonesia secara benar. Yogyakarta: Ardana Media.

TRA. (2013). *CKD Stages*. 1–3. <http://www.renal.org/information-resources/the-uk-eckd-guide/ckd-stages#sthash.bFWMxuSq.FKPbtu9N.dpbs>

Tseng, G.-Y., & Lin, H.-J. (2008). Gastrointestinal symptoms in patients with end-stage renal disease undergoing treatment by hemodialysis or peritoneal dialysis. In *The American journal of gastroenterology* (Vol. 103, Issue 5, pp. 1317–1318). https://doi.org/10.1111/j.1572-0241.2007.01782_10.x

Warhamna, N., & Husna, C. (2018). *Hemodialisis Di Rumah Sakit Umum Daerah Dr . Zainoel Abidin Banda Aceh Chronic Kidney Diseases Based On The Length In Undergoing Haemodialysis In Dr . Zainoel Abidin General Hospital Zainoel Abidin Banda Aceh Pada Februari Umum Daerah Dr Zainoel Abidin*. 000, 1–8. <http://jim.unsyiah.ac.id/FKep/article/view/1474>

Watanabe, S. M., Nekolaichuk, C., Beaumont, C., Johnson, L., Myers, J., & Strasser, F. (2011). A multicenter study comparing two numerical versions of the Edmonton Symptom Assessment System in palliative care patients. *Journal of Pain and Symptom Management*, 41(2), 456–468.

- <https://doi.org/10.1016/j.jpainsymman.2010.04.020>
- Weisbord, S. D., Carmody, S. S., Bruns, F. J., Rotondi, A. J., Cohen, L. M., Zeidel, M. L., & Arnold, R. M. (2003). Symptom burden, quality of life, advance care planning and the potential value of palliative care in severely ill haemodialysis patients. *Nephrology, Dialysis, Transplantation : Official Publication of the European Dialysis and Transplant Association - European Renal Association*, 18(7), 1345–1352. <https://doi.org/10.1093/ndt/gfg105>
- Weisbord, S. D., Fried, L. F., Arnold, R. M., Fine, M. J., Levenson, D. J., Peterson, R. A., & Switzer, G. E. (2005). Prevalence, severity, and importance of physical and emotional symptoms in chronic hemodialysis patients. *Journal of the American Society of Nephrology*, 16(8), 2487–2494. <https://doi.org/10.1681/ASN.2005020157>
- Weisbord, S. D., Fried, L. F., Arnold, R. M., Rotondi, A. J., Fine, M. J., Levenson, D. J., & Switzer, G. E. (2004). Development of a symptom assessment instrument for chronic hemodialysis patients: the Dialysis Symptom Index. *Journal of Pain and Symptom Management*, 27(3), 226–240. <https://doi.org/10.1016/j.jpainsymman.2003.07.004>
- Widowati, S. R. (2011). Tingkat kualitas hidup pasien gagal ginjal kronik terapi hemodialisis. *KEMAS: Jurnal Kesehatan Masyarakat*, 6(2).
- Wijayanti, W., Isro'in, L., & Purwanti, L. E. (2017). Analisis Perilaku Pasien Hemodialisis dalam Pengontrolan Cairan Tubuh. *Indonesian Journal for Health Sciences*, 1(1), 10. <https://doi.org/10.24269/ijhs.v1i1.371>
- Wiliyanarti, P. F., & Muhith, A. (2019). Life Experience of Chronic Kidney Diseases Undergoing Hemodialysis Therapy. *NurseLine Journal*, 4(1), 54. <https://doi.org/10.19184/nlj.v4i1.9701>
- Xu, J., Nolan, M. T., Heinze, K., Yenokyan, G., Hughes, M. T., Johnson, J., Kub, J., Tudor, C., Sulmasy, D. P., Lehmann, L. S., Gallo, J. J., Rockko, F., & Lee, M. C. (2015). Symptom frequency, severity, and quality of life among persons with three disease trajectories: cancer, ALS, and CHF. *Applied Nursing Research : ANR*, 28(4), 311–315. <https://doi.org/10.1016/j.apnr.2015.03.005>
- Yasmara, D. (2016). *Rencana Asuhan Keperawatan Medikal-Bedah*. EGC.
- Yu, I. C., Huang, J. Y., & Tsai, Y. F. (2012). Symptom cluster among hemodialysis

patients in Taiwan. *Applied Nursing Research*, 25(3), 190–196.

<https://doi.org/10.1016/j.apnr.2010.11.002>

Zambroski, C. H., Moser, D. K., Bhat, G., & Ziegler, C. (2005). Impact of symptom prevalence and symptom burden on quality of life in patients with heart failure. *European Journal of Cardiovascular Nursing*, 4(3), 198–206.

<https://doi.org/10.1016/j.ejcnurse.2005.03.010>

Zhang, Y., Liu, Y., Li, X., Chen, Y., Ye, H., Li, X., Lin, Z., Wang, Z., Huang, W., & Ding, X. (2014). Age-related changes in prevalence and symptom characteristics in kidney deficiency syndrome with varied health status: a cross-sectional observational study. *Journal of Traditional Chinese Medical Sciences*, 1(1), 20–27.
<https://doi.org/https://doi.org/10.1016/j.jtcms.2014.11.009>